

**TONE**  
Möbelstoff


 **svensson**




3221




3231




3263



3345



4210



4220



4321



4325



4326



4331




4353




4363




4431




4441




4550




4560



4621



4631



5261



5272

## TONE Möbelstoff

**Breite:** 140 cm  
**Gewicht:** 280 G/M<sup>2</sup>  
**Material:** Trevira CS 100%

**Color fastness:**  
*Against dry rubbing according to EN ISO 105-X12:*  
- ≥4 (Scale 1-5)  
*Gegen Licht nach EN ISO 105-B02*  
- ≥5 (Skala 1-8)  
*Against wet rubbing according to EN ISO 105-X12:*  
- ≥3,5 (Scale 1-5)

**Scheuerfestigkeit:**  
*Martindale (Nach: EN ISO 12947-2):*  
- 50000 Touren

### Wartungsanweisungen:



### For further information:

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00  
F: +46 320 21 10 10  
E: info@ludvigsvensson.com






5611



5631



6065



6075



6253



6263



6535




6540




6550



6552



6572




6632



6642



6731




6740




6844



6853



8800



8900

## TONE Möbelstoff

**Breite:** 140 cm  
**Gewicht:** 280 G/M<sup>2</sup>  
**Material:** Trevira CS 100%

**Color fastness:**  
*Against dry rubbing according to EN ISO 105-X12:*  
- ≥4 (Scale 1-5)  
*Gegen Licht nach EN ISO 105-B02*  
- ≥5 (Skala 1-8)  
*Against wet rubbing according to EN ISO 105-X12:*  
- ≥3,5 (Scale 1-5)

**Scheuerfestigkeit:**  
*Martindale (Nach: EN ISO 12947-2):*  
- 50000 Touren

### Wartungsanweisungen:



### For further information:

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00  
F: +46 320 21 10 10  
E: info@ludvigsvensson.com

