





**ALLY**  
Upholstery fabrics




3063



3124




3436



3543




3635



3742



3744




3952




3963



4060



4080



4443



4463



4532



4545



4632



4653



4730



5041



5051

## ALLY Upholstery fabrics

**Width:** 140 cm

**Weight:** 320 g/m<sup>2</sup>

**Material:** Wool 85%  
Polyamid 15%

**Color fastness:**

Against dry rubbing according to  
EN ISO 105-X12:  
- ≥4 (Scale 1-5)

Against light according to EN ISO  
105-B02

- ≥5 (Scale 1-8)

Against wet rubbing according to  
EN ISO 105-X12:

- ≥3,5 (Scale 1-5)

**Abrasion resistance:**

Martindale (According to EN ISO

12947-2):

- 100000 rubs

**Care instructions:**



**For further information:**


Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com







5261




5532



5822



5861



5881



6035



6043



6242




6533



6540



6550



6563



6661




6730




6742




6752



6770



6780



6954



8330

## ALLY Upholstery fabrics

**Width:** 140 cm

**Weight:** 320 g/m<sup>2</sup>

**Material:** Wool 85%  
Polyamid 15%

**Color fastness:**

Against dry rubbing according to  
EN ISO 105-X12:  
- ≥4 (Scale 1-5)

Against light according to EN ISO  
105-B02

- ≥5 (Scale 1-8)

Against wet rubbing according to  
EN ISO 105-X12:

- ≥3,5 (Scale 1-5)

**Abrasion resistance:**

Martindale (According to EN ISO  
12947-2):  
- 100000 rubs

**Care instructions:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

